
GEA LUCE



AELA P/G

FAEPB3 - BIANCO - WHITE

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led Integrato
Power: 60W+12W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3800-3900lm
Color Temperature: 3000K-4000K
Light Beam: 120° _ Biemissione
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Energy Class: D
Volume: 0,0635m3
Gross Weight: 9.60 Kg
Net Weight: 7.60 Kg




GEA LUCE



AELA P/G

FAEPN3 - NERO - BLACK

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led Integrato
Power: 60W+12W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3800-3900lm
Color Temperature: 3000K-4000K
Light Beam: 120° _ Biemissione
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Energy Class: D
Volume: 0,0635m3
Gross Weight: 9.60 Kg
Net Weight: 7.60 Kg




GEA LUCE



AELA P/G

FAEPO3 - ORO - GOLD

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led Integrato
Power: 60W+12W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3800-3900lm
Color Temperature: 3000K-4000K
Light Beam: 120° _ Biemissione
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Energy Class: D
Volume: 0,0635m3
Gross Weight: 9.60 Kg
Net Weight: 7.60 Kg




GEA LUCE



AELA P/G

FAEPA3 - ARANCIO-BRUCIATO

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led Integrato
Power: 60W+12W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3800-3900lm
Color Temperature: 3000K-4000K
Light Beam: 120° _ Biemissione
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Energy Class: D
Volume: 0,0635m3
Gross Weight: 9.60 Kg
Net Weight: 7.60 Kg




GEA LUCE



AELA P/G

FAEPBE3 - NEW-BEIGE

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led Integrato
Power: 60W+12W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3800-3900lm
Color Temperature: 3000K-4000K
Light Beam: 120° _ Biemissione
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Energy Class: D
Volume: 0,0635m3
Gross Weight: 9.60 Kg
Net Weight: 7.60 Kg



GEA LUCE



AELA P/G

FAEPP3 - PESCA

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led Integrato
Power: 60W+12W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3800-3900lm
Color Temperature: 3000K-4000K
Light Beam: 120° _ Biemissione
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Energy Class: D
Volume: 0,0635m3
Gross Weight: 9.60 Kg
Net Weight: 7.60 Kg

