GEA LUCE





DOHA P/M

FDOPB2 - BIANCO - WHITE

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led integrato
Power: 40W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3750lm
Color Temperature: 3000K
Light Beam: 120° _ Diretta
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Gross Weight: 4.60 Kg
Net Weight: 3.59 Kg

Montatura in alluminio bianco. Diffusore in metacrilato bisatinato e alluminio con FInIture bianco. Sorgente luminosa led.

White aluminium frame. Diffuser in double-coated methacrylate and aluminium with white FInish. Led light source.

Monture en aluminium blanc. Diffuseur biseauté en méthacrylate et aluminium, finition blanche. Source lumineuse LED.

Weißer Aluminiumrahmen. Abgeschrägter Diffusor aus Methacrylat und Aluminium mit weißer Oberfläche. LED-Lichtquelle.





DOHA P/M

FDOPN2 - NERO - BLACK

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led integrato
Power: 40W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3750lm
Color Temperature: 3000K
Light Beam: 120° _ Diretta
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Gross Weight: 4.60 Kg
Net Weight: 3.59 Kg

Montatura in alluminio bianco. Diffusore in metacrilato bisatinato e alluminio con FInIture nero. Sorgente luminosa led.

White aluminium frame. Diffuser in double-coated methacrylate and aluminium with black FInish. Led light source.

Monture en aluminium blanc. Diffuseur biseauté en méthacrylate et aluminium, finition noire. Source lumineuse LED.

Weißer Aluminiumrahmen. Abgeschrägter Diffusor aus Methacrylat und Aluminium mit schwarzer Oberfläche. LED-Lichtquelle.

GEA LUCE





DOHA P/M

FDOPT2 - TORTORA - DOVE

TECHNICAL DATA
Installation: Interno _ Soffitto
Source: Led integrato
Power: 40W
Power Supply: 220-240V AC _ 50/60Hz
Dimming: Dimmerabile _ Taglio fase+Push non incl.
Lumen: 3750lm
Color Temperature: 3000K
Light Beam: 120° _ Diretta
CRI: >80
Lifespan: 30.000h
IP Rating: IP20
Insulation Class: I
Gross Weight: 4.60 Kg
Net Weight: 3.59 Kg

Montatura in alluminio bianco. Diffusore in metacrilato bisatinato e alluminio con FInIture tortora. Sorgente luminosa led.

White aluminium frame. Diffuser in double-coated methacrylate and aluminium with dove grey FInish. Led light source.

Monture en aluminium blanc. Diffuseur biseauté en méthacrylate et aluminium avec finition couleur tourterelle. Source lumineuse LED.

Weißer Aluminiumrahmen. Abgeschrägter Diffusor aus Methacrylat und Aluminium mit taubenfarbener Oberfläche. LED-Lichtquelle.